



If you have any queries please contact Philistine
Tattoo Removal, our details are below



PHILISTINE
TATTOO REMOVAL

Tattoo Removal Aftercare

Proper aftercare is extremely important in order to achieve
the best results and to help avoid post-treatment complications
(including risk of infection and scarring)

Telephone: 07947 620 687

Email: keith.cross@philistinelaser.com

Website: www.philistinelaser.com

DESCRIPTION OF HEALING PROCESS:

A thin protective scab will form on the area and will darken in a few days after the treatment. Some skin redness will develop near the scab's edge. It will begin to loosen. When the area begins to itch, it will lift off 3-4 days later. Once it lifts off, the area may be red, raised, dipper or have a pink halo effect around it.

We strongly advise that you purchase Bloderma post-laser treatment cream (apply 2 to 3 days after treatment) for the full healing duration. Failure to do this may result in collagen regeneration on the treated area.

The skin will slowly return to normal over 1 or 12 months and any redness should diminish

IMMEDIATE CARE:

- Please ensure that the dressing provided stays on for a maximum of 3 hours (as the wound can become damp and sweaty which can in turn damage the skin). If you are going outside or if the wound is sore or blistered, you will need to apply a fresh dressing to protect the wound. It is important that an open wound does not come into contact with clothing. However, if you are staying at home it is best to allow the wound to heal naturally in the fresh air.
- Avoid prolonged rubbing or scratching from clothing or other surfaces.
- If the scabbed area does become wet gently press it dry with a clean tissue.
- If it starts to itch, do not scratch it. Slapping the area is acceptable to provide relief.
- Avoid heavy workouts or excess sweating at least 3 days post treatment (as it can dampen the scab and lead to infection).
- If the area becomes raised, swollen or inflamed (with a bubbly appearance), it is vital that it does not come into contact with water. However, this is a normal reaction and no need for concern.

PLEASE NOTE:

If the scab becomes wet, continues to weep excessively, or is subject to cracking due to movement or external forces, it is imperative that you contact your technician as soon as possible who will advise you what to do.

If an infection persists then you will need to consult your doctor to obtain oral antibiotics. Do not allow medical staff to forcibly remove the scab as this will cause excessive trauma to the skin and will result in scarring.

If any of these reactions occur, you will need to inform us.

PRECAUTION:

The treated area can be more sensitive to sun exposure for some months after treatment. Use a sun block of at least SPF 50 and avoid prolonged exposure. Once fully healed, the area should tan as normal.